
ADVANCE status, ENDF/B-VIII status, and resonance fun


David Brown (BNL), Mecheal Greene (Cheney U.)




a passion for discovery






















ENDF/B-VIII Status

- Next major release due in FY17-18 time frame
- CIELO evaluations: ¹H, ¹⁶O, ⁵⁶Fe, ^{235,238}U, ²³⁹Pu
- New evaluations
 - CAB-AECL: OinD2O (TSL), DinD2O (TSL), HinH2O (TSL)
 - NCSU: Lucite (TSL)
 - Stolen from JENDL-4: Yb, Os, ^{154,159}Dy, ^{181,182}Hf
- Small changes with large impact
 LLNL-LBNL EGAF: ^{6,7}Li, ¹¹B, ¹⁹F, ²³Na, ²⁷Al,
 - LLNL-LBNL EGAF: ^{6,7}Li, ¹¹B, ¹⁹F, ²³Na, ²⁷Al, ²⁸Si, ^{35,37}Cl
 - D.E. Cullen EPICS: 300 evaluations in photo-atomic, electro-atomic, and atomic-relaxation libraries
 - BNL resonances: 120,122,124 Sn, 185,187 Re
- Bug fixes
- Release in legacy ENDF and new GND formats



ENDF/B-VII.0 contains 393 evaluations;


1325 citations since 2006 (Google Scholar)

ENDF/B-VII.1 contains 423 evaluations

669 citations since 2010 (Google Scholar)

β0 to be tagged before mini-CSEWG meeting in April








ADVANCE quality assurance system for **ENDF**


On every commit of every evaluation in ENDF

- Check out evaluation
- Run through a battery of tests
- Process with customer processing codes
- Generate comparison plots
- Generate HTML report of evaluation

Automation is better!


- Find data problems before the customers!
- Far faster/better than old PHASE I review
- Available at http://www.nndc.bnl.gov/ endf/b7.dev/qa/index.html






In summer 2015, student started adding automated benchmarking

- M. Greene (Cheney Univ.) began standing up an automated benchmarking capability for ADVANCE
- COG (LLNL) wrapped in cnp_test_suite (LLNL)
 - Understands material specifications in input decks and may search on then.
 - Can parse COG outputs files
- Have built relational database of test decks:
 - Baseline results (keff)
 - 359 HEU cases
 - 145 Pu cases






There is a lot to do yet, so hopefully Mecheal will be back next summer;)

To Do:

- Connection to BuildBot
- Indexing of modified libraries by COG11.1-LibMaker
 - For neutrons, this is "simple"
 - For TSL data, it is unclear what to do (yet)
- Results database
- Integral validation report tab on ADVANCE website
- Maybe even starting on same capability for MCNP

Thanks To:

- Dave Heinrichs and Chuck Lee (LLNL)
 - COG11.1
 - COG11.1-LibMaker
 - · COG's test suite
- Pavlos Vranas, Marie-Anne Descalle, D.A. Brown (LLNL)
 - · cnp test suite
- This project was supported in part by the U.S. Department of Energy, Office of Science, Office of Workforce Development for Teachers and Scientists (WDTS) under the National Science Foundation (NSF).





Coupled photon-electron data used in radiation shielding applications

For use in Shielding Applications we need

- Photon Interaction Data
 - including direct secondary photons and electrons
- Electron Interaction Data
 - including direct secondary photons and electrons

Data for ALL Photon-Electron Coupling

Fluorescence X-Rays and Auger Electrons

Computer Codes to Use This data

- Using Accurate Radiation Transport Methods
 - Monte Carlo
- Data is Useless without Codes
- Codes are Useless without Data





INTERNATIONAL ATOMIC ENERGY AGENCY

NUCLEAR DATA SERVICES

DOCUMENTATION SERIES OF THE IAEA NUCLEAR DATA SECTION

IAEA-NDS-218 September 2014

EPICS2014: Electron Photon Interaction Cross Sections (Version 2014)

by
Dermott E. Cullen
National Nuclear Data Center, BNL, alumnus
Nuclear Data Section, IAEA, Vienna, alumnus
University of California, LLNL, retired

1466 Hudson Way Livermore, CA 94550

E.Mail: RedCullen1@comcast.net
Website: http://home.comcast.net/~redcullen1

Abstract: EPICS2014 is the Electron Photon Interaction Cross Section library that provides the atomic data needed to perform coupled Electron-Photon transport calculations, to produce accurate macroscopic results, such as energy deposition and dose. Atomic data is provided for elements, Z = 1 to 100, over the energy range 10 eV to 100 GeV; nuclear data, such as photo-



EPICS2014 consists of 4 libraries

- The Evaluated Electron Data Library (EEDL), to describe the interaction of electrons with matter.
- The Evaluated Photon Data Library (EPDL), to describe the interaction of photons with matter.
- The Evaluated Atomic Data Library (EADL),
 to describe the emission of electrons and photons
 back to neutrality following an ionizing event,
 caused by either electron or photon interactions
- The Evaluated Excitation Data Library (EXDL), to describe the excitation of atoms due to photon interaction

EPICS2014 consists of 4 libraries

- The Evaluated Electron Data Library (EEDL), to describe the interaction of electrons with matter.
- The Evaluated Photon Data Library (EPDL),
 to describe the interaction of photons with matter.
- The Evaluated Atomic Data Library (EADL),
 to describe the emission of electrons and photons
 back to neutrality following an ionizing event,
 caused by either electron or photon interactions
- In ENDF & ENDL formats
 interaction

EPICS2014

Major changes:

- Corrected incorrectly translated electron data (MF/ MT=26/527, <E> from Bremstrahlung)
- Increase file precision with ENDF2C
- "Changes where I felt they were necessary"

Major change not made:


- Revising transition energies to match results of Deslattes, et al., "X-ray transition energies: a new approach to a comprehensive evaluation", Rev. Mod. Phys. 75, 35-99 (2003).
- Used for validation
- Update seems minor, but important to upgrade all sub libraries as a set to maintain internal consistency

Although updating library makes sense, we do need to be able to test it


- B. Beck added capability to read photo-atomic and electro-atomic data in Fudge
 - This includes simple physics checks
- D. Brown added plotting capabilities for this data in Fudge
 - This includes cross sections, form factors and anomalous scattering functions
- Fudge, PREPRO and NNDC checking codes now can check atomic data automatically with ADVANCE
- We currently have no testing of the atomic_relaxation part of EPICS

Sample plots from the photo-atomic sub library


gamma+Ag, Total photon interaction (MT=501)




gamma+Ag, Photon coherent scattering (MT=502), anomolous scattering factor



gamma+Ag, N5 shell ionization (MT=547)



gamma+Ag, Photon (in)coherent scattering form factors (MT=502,504)




Sample plots from the electro-atomic sub library






e-+Co, Bremstrahlung (MT=527)




e-+Co, Electro-atomic excitation (MT=528)


Incident energy (MeV)

10




e-+Co, M4 shell ionization (MT=541)












Rejuvenating resonance evaluation capabilities in the US

- US resonance evaluation capability flagging
 - L. Leal retired from ORNL, moved to IRSN (France)
 - S. Mughabghab (BNL) retired for years
- So...
 - ORNL training new evaluator (V. Sobes)
 - LANL (M. Paris) & LLNL (S. Quaglioni)
 working on maintaining their capabilities
 - BNL started own project to both train new evaluator(s) and produce new edition of Atlas (PI: D. Brown)






Year 1: develop alternative approach to probability table generation in URR (\$50k, NCSP)

- Approach #1: Monte-Carlo resonance realizations like NJOY & AMPX
 - Now generate fully GOE consistent sets, with folding trick to match level densities
 - Roughly follow approach in T. Kawano, P. Talou, H. A. Weidenmueller, Phys. Rev. C 92, 044617 (2015)
- Approach #2: Analytic approximation of P(σ|E) using extension to GOE triple integral
 - Have analytic expressions for $cov(\sigma_a, \sigma_b) = \langle \sigma_a \sigma_b \rangle \langle \sigma_a \rangle \langle \sigma_b \rangle$
 - Assume P(σ|E) log-normal or similar

This is "an ambitious program": the project will require much more time and effort than NCSP can provide




To do yet:


Approach #1:

- Bin cross section realizations
- Make probability tables directly
- Compare to NJOY, AMPX results

Approach #2:


- Finish modifying GOE triple integral code (which traces back to Verbaarschot's original code)
- Compute PDF assuming log-normal dist.
- Compare to NJOY, AMPX & previous method's results





Year #2 (FY16): Full suite of integral cross sections & average parameters for data validation, esp. in resonance region (URR & RRR)

Resonance physics parameters:







√PSYCHE Gamma ray strength function



Thermal scattering parameters:

Free coherent scattering length
Free incoherent scattering length
Bound coherent scattering length
Coherent scattering cross section
Incoherent scattering cross
section

Astrophysical parameters:

✓ INTER Maxwellian average cross section (MACS) at various temperatures

Steller enhancement factor (SEF)

✓ ★ Astrophysical reaction rate (ARR)

Nuclear engineering parameters:

✓ NTER Resonance integral (RI)

✓ INTER Room temperature cross section

V INTER Westcott factor

Integral validation parameters:

✓ INTER 252Cf averaged spectrum

✓ Godiva, Jezebel, BigTen averaged spectra

√ INTER 14 MeV cross section/d-t source

Must integrate into ADVANCE



